# LIST OF CONTENTS

## Number 1


| | | |
|---|---|---|
| **M. C. Barreto, P. Ciambelli, G. Del Re** and **A. Peluso** | 1 | A theoretical study of ion selectivity of zeolites—application to chabazite |
| **M. M. Vergara** and **E. L. Varetti** | 13 | Thermal behavior and vibrational spectra of cesium nitroprusside monohydrate, $Cs_2[Fe(CN)_5NO].H_2O$ |
| **D. A. Cleary, E. M. Hamizar** and **A. H. Francis** | 21 | Spectroscopic and ESR studies of $Cd_2P_2S_6$ intercalated with pyridine complexes of ferric ion |
| **E. Di Mauro** and **W. Sano** | 29 | EPR of $Mn^{2+}$ doped in $Zn(BF_4)_26H_2O$ |
| **C. Ko** and **R. B. McLellan** | 33 | The thermodynamics of Fe–Pt–N austenites |
| **J.-P. Doumerc, A. Ammar, A. Wichainchai, M. Pouchard** et **P. Hagenmuller** | 37 | Sur quelques nouveaux composés de structure de type delafossite |
| **R. W. Grimes, A. B. Anderson** and **A. H. Heuer** | 45 | Interaction of dopant cations with 4:1 defect clusters in non-stoichiometric 3*d* transition metal monoxides: a theoretical study |
| **R. Ramírez, R. Nesper, H. G. von Schnering** and **M. C. Böhm** | 51 | On the validity of formal electron counting rules in lithium silicides |
| **G. Lucazeau, J. R. Gavarri** and **A. J. Dianoux** | 57 | Study of $Na^+$ motions in $\beta Al_2O_3$ by quasi-elastic neutron scattering |
| **A. Zięba, R. Zach, H. Fjellvåg** and **A. Kjekshus** | 79 | Effect of external pressure and chemical substitution on the phase transitions in MnAs |
| **N. J. Walker, G. A. Saunders** and **N. Schäl** | 91 | Acoustic mode vibrational anharmonicity of PbSe and other IV–VI compounds |


## Number 2


| | | |
|---|---|---|
| **T. A. Hewston** and **B. L. Chamberland** | 97 | **Review Article Number 8. A survey of first-row ternary oxides $LiMO_2$ (M = Sc–Cu)** |
| **Colin L. Honeybourne** | 109 | **Review Article Number 9. Solid thin films of extended $\pi$-systems: deposition, characterisation and application** |
| **Shigeru Yamamoto, Ichiro Ohno** and **Orson L. Anderson** | 143 | High temperature elasticity of sodium chloride |
| **K. Hashizume** | 153 | Energy bands of solid argon |
| **Yukio Ito, Katsuki Miyauchi** and **Tetsuichi Kudo** | 161 | Characterization of polymer electrolyte films prepared from poly(ethylene oxide) with $LiCF_3SO_3$ by the evaporation method |
| **A. Svane** and **E. Antoncik** | 171 | Electronic structure of rutile $SnO_2$, $GeO_2$ and $TeO_2$ |

**T. Warminski** and **Y. Ito** 181 X-ray analytical studies of the bismuth germanate crystals

**V. P. Zhukov** and **V. A. Gubanov** 187 The study of the energy band structures of TiC, VC, $Ti_4C_3$ and $V_4C_3$ by the LMTO–ASA method

**James R. Chelikowsky** and **Karen E. Anderson** 197 Melting point trends in intermetallic alloys

Number 3

**C. Parent, C. Lurin, F. Guillen, G. Le Flem, P. Hagenmuller** and **M. Couzi** 207 Investigation of spatial distribution of neodymium in phosphate glasses by Raman and kinetic luminescence spectroscopy

**A. Ramdani, J. Steinmetz, C. Gleitzer, J. M. D. Coey** and **J. M. Friedt** 217 Perturbation de l'échange électronique rapide par les lacunes cationiques dans $Fe_{3-x}O_4 (x \leqslant 0{,}09)$

**M.-D. Guo, A. T. Aldred** and **S.-K. Chan** 229 Magnetic susceptibility and crystal field effects of rare-earth orthovanadate compounds

**S. Kiger, A. Compaan** and **J. S. Eck** 237 Rutherford backscattering studies of surface density reduction in ion-implanted and excimer-laser-annealed Ge

**Fu Wen Tian, C. Fouassier** and **P. Hagenmuller** 245 Influence of energy migration on the luminescence of $Li_6Eu(BO_3)_3$, a material with predominant one-dimensional interactions

**A. Watterich, R. H. Bartram, G. J. Edwards, O. R. Gilliam, I. Földvári** and **R. Voszka** 249 Electron spin resonance of $Cr^{5+}$ in $TeO_2$:Cr

**K. Sumiyama, H. Ezawa** and **Y. Nakamura** 255 Magnetic properties of metastable BCC and amorphous $Fe_{1-x}Mo_x$ alloys produced by vapor quenching

**M. Md. Ibrahim, V. Ramachandran** and **K. Sarangapani** 263 Mode Gruneisen parameters and thermal expansion of sodium nitrate

**L. Gastaldi, M. G. Simeone, S. Viticoli, A. Tomas, M. Guittard** and **M. Winterberger** 269 Two-dimensional magnetic behaviour of $Cr_xGa_{2.67-x}S_4$ ($0.87 \leqslant x \leqslant 1.00$) layered compounds

**S. Swanepoel** and **C. M. Stander** 275 Mössbauer spectroscopic study of iron fluoride surface layers

**H. J. Van Rijn, H. L. Alberts** and **J. A. J. Lourens** 283 Elastic constants and thermal expansion of dilute Cr–Ge alloys

**B. Atoussi, H. Chermette** and **C. Pedrini** 289 Electronic structure of $(Ag^+)_2$ pairs in NaCl: a theoretical approach

*Technical Note*

**H. C. Gupta, G. S. Reddy** and **B. B. Tripathi** 297 Phonon density of states of amorphous $Si_xC_{1-x}$

Number 4

**D. E. Cox, A. C. Damask** and **G. J. Dienes** 299 Editorial

**V. L. Ginzberg** 301 Obituary: Evgenii Mikhailvoich Lifshitz

**Charles J. O'Connor** and **Joseph F. Noonan** 303 Photo-induced magnetic bubbles in the spin glass alloy $Fe_2SnTe_4$

| | | |
|---|---|---|
| **Miguel Lagos** and **Miguel Kiwi** | 309 | Mixed valence as a polaronic effect |
| **Christian M. Braun** and **Akira Fujishima** | 315 | Kinetics of photoelectret states in germanium-sillenite |
| **R. F. Brebrick** and **Yi Gao Sha** | 323 | Some general properties of the liquidus surface of a "pseudo-binary" solid solution $(A_{1-u}B_u)_{1-\delta}C_{1+\delta}$ |
| **Jun Shen, Charles W. Myles** and **Jeffrey R. Gregg** | 329 | Coherent potential approximation calculations for electronic spectra of one-dimensional quaternary alloys |
| **M. Susaki** and **N. Yamamoto** | 341 | Room temperature photoconductivity of $CuGaSe_2$ |
| **Gary R. Burns** and **Joanne R. Rollo** | 347 | The use of Raman spectroscopy as a probe for the intermolecular bonding in crystalline tetraphosphorus trisulphide |
| **R. J. Thorn** | 355 | A model for electrical conductivity in $(TMTSF)_2ClO_4$, $(TMTSF)_2ReO_4$ and related materials |
| **Y. Vaills** and **J. Y. Buzaré** | 363 | EPR studies of $Gd^{3+}$ centres in the cubic phase of $CsCaCl_3$ and $CsPbCl_3$ |
| **D. F. Mariani, F. Brito, C. Oyarzun** and **J. Vignolo** | 371 | Thermoluminescence in plastically deformed and irradiated KBr single crystals |
| **L. Er-Rakho, C. Michel, F. Studer** and **B. Raveau** | 377 | The oxygen-deficient perovskite $Ba_{0.5}La_{0.5}Fe_{1-x}Cu_xO_{2.75-x/2+\delta}$ —a *p*-type semi-conductor with high Cu(III) and Fe(IV) contents |
| **Hui Jun Won, Sung Ho Park, Keu Hong Kim** and **Jae Shi Choi** | 383 | Electrical conductivity of the system $ZrO_2$–$Er_2O_3$ |
| **J. I. Kaplan** | 391 | Solid state NMR free induction decay in the presence of vacancy diffusion |


Number 5


| | | |
|---|---|---|
| **Hang-sheng Wu, Zheng-yu Weng, Guangda Ji** and **Zi-fang Zhou** | 395 | **Review Article Number 10. Analytic solution to the Eliashberg equation for the superconducting critical temperatures** |
| **Z. A. Matysina, A. O. Mekhrabov, Z. M. Babaev** and **S. Yu. Zaginaichenko** | 419 | Impurities in $Ni_3Fe$ magnetic alloys |
| **Qi-guang Luo** and **Rong-yao Wang** | 425 | Electronegativity and superconductivity |
| **F. A. Benko** and **F. P. Koffyberg** | 431 | Opto–electronic properties of *p*- and *n*-type delafossite, $CuFeO_2$ |
| **K. J. Smolander** | 435 | Electrical properties of $BaTiO_3$ with a new parameterization for repulsion effects |
| **D. Chippaux, B. Mercey** and **A. Deschanvres** | 447 | Relation entre propriétés électriques et defauts de reseau dans $ZnSiAs_2$—I. Analyse de l'énergie d'ionisation |
| **D. Chippaux, B. Mercey** and **A. Deschanvres** | 459 | Relation entre propriétés électriques et defauts de reseau dans $ZnSiAs_2$—II. Analyse de la mobilité |
| **N. Abolhassani** and **F. J. Bryant** | 469 | Effect of non-stoichiometry on the occurrence of $Er^{3+}$ luminescence sites in erbium-implanted zinc selenide |

**M. W. Urban** and **B. C. Cornilsen** 475 Bonding anomalies in the rare earth sesquioxides

**J. R. Anderson, W. B. Johnson, D. R. Stone** and **J. K. Furdyna** 481 Large negative magnetoresistance of $Cd_{0.9}Mn_{0.1}Se$

**D. E. Tsatis** 489 Thermal expansion of pyrrhotite ($Fe_7S_8$)

**K. P. Maheshwari** and **G. Tarey** 491 Stimulated Raman scattering of an extraordinary mode in a solid state plasma


## Number 6


**C. DeW. Van Siclen** 497 Transverse Zeeman effect for ions in uniaxial crystals with and without mirror plane symmetry

**M. E. Hills, D. C. Harris** and **C. K. Lowe-Ma** 501 Zinc aluminum sulfide: electron paramagnetic resonance spectroscopy and infrared transmittance

**A. K. Pradhan, R. N. P. Choudhary** and **B. M. Wanklyn** 509 Infrared reflection and optical absorption studies on $SmAsO_4$

**O. E. Taurian** and **A. H. Tang Kai** 513 Calculation of optical absorption energies and hyperfine interactions of F centres in alkaline-earth fluorides

**P. Adler, L. Wiehl, E. Meißner, C. P. Köhler, H. Spiering** and **P. Gütlich** 517 The influence of the lattice on the spin transition in solids. Investigations of the high spin $\rightleftharpoons$ low spin transition in mixed crystals of $[Fe_xM_{1-x}(2\text{-pic})_3]Cl_2 \cdot MeOH$

**Wang Zhi-Chang** 527 Thermodynamics of nonstoichiometric multicomponent uranium oxides

**H. Indrawirawan, L. J. H. Brasche, C. V. Owen, D. K. Rehbein, O. N. Carlson, D. T. Peterson** and **O. Buck** 535 Internal friction studies of the effect of hydrogen on the oxygen Snoek peaks in V and Nb

**J. Guth** and **W. T. Petuskey** 541 Structural aspects of bonding in silicon carbide polytypes: *ab initio* MO calculations

**T. J. Zhang** 551 Experimental study of electrical properties at the Nd-doped $Si–SiO_2$ interface

**T. Behner** and **G. Lehmann** 555 EPR of $Fe^{3+}$ in CsCl and $NH_4Cl$

**W. K. Wang** and **H. Iwasaki** 559 Isothermal compression of the $L1_0$-type alloy CuAu

**R. Gerhardt, W.-K. Lee** and **A. S. Nowick** 563 Anelastic and dielectric relaxation of scandia-doped ceria

**S. U. Jen, Y. D. Yao** and **S. Arajs** 571 Temperature dependence of the electrical resistivity and deviations from Matthiessen's rule of Pd–Er alloys

**C. Ko** and **R. B. McLellan** 575 The thermodynamics of nitrogen austenites containing noble-metal substitutional solutes

**S. A. Akbar, M. Kaburagi** and **H. Sato** 579 Soret effect in solid—II

**R. D. Jones** and **K. Rose** 587 Thermal stability of InN

*Technical Note*

**G. Blasse** and **G. J. Dirksen** 591 Luminescence of high-temperature zirconium molybdate

## Number 7


**Y. Feng** and **H. N. Spector** 593 Scattering of excitons by free carriers in semiconducting quantum well structures

**R. B. McLellan** and **T. Ishikawa** 603 The elastic properties of aluminum at high temperatures

**J. M. Newsam, Y. Endoh** and **I. Kawada** 607 Measurement of the cation partitionings in $Fe_xV_{3-x}S_4$ ($x = 1.0$ and 2.0) by powder neutron diffraction

**A. Szökefalvi-Nagy, S. Filipek** and **R. Kirchheim** 613 Pressure-composition isotherms of hydrogen in amorphous $Pd_{(1-x)}Si_x$

**M. Menon** and **C. W. Myles** 621 Substrate response to atomic scattering from solid surfaces

**A. Taitai** and **J. L. Lacout** 629 Hydroxylation and fluorination of europium containing oxyapatites

**J. Przyłuski, M. Zagórska, A. Proń, Z. Kucharski** and **J. Suwalski** 635 Synthesis and characterization of conducting polypyrrole-containing iron complexes

**G. A. Slack, R. A. Tanzilli, R. O. Pohl** and **J. W. Vandersande** 641 The intrinsic thermal conductivity of AlN

**K. M. E. Miedzinska, B. R. Hollebone** and **J. G. Cook** 649 An assignment of the optical absorption spectrum of mixed valence $Co_3O_4$ spinel films

**S. A. Akbar** and **I. Z. Kostadinov** 657 Hopping conduction in Na-$\beta$-alumina

**R. B. McLellan** and **M. Yoshihara** 661 The diffusion of hydrogen in b.c.c. V–Ti solid solutions

**W. Jeitschko** and **M. Reehuis** 667 Magnetic properties of $CaNi_2P_2$ and the corresponding lanthanoid nickel phosphides with $ThCr_2Si_2$ type structure

**G. Corradi, R. H. Bartram, A. R. Rossi** and **J. Janszky** 675 A molecular cluster model of the $V_O^{\cdot}$ center in paratellurite

*Technical Note*

**V. Sivakumar, B. Sukumar** and **K. Navaneethakrishnan** 683 Comment on the piezopolaron bound states in semiconductors


## Number 8


**R. G. Mani, J. R. Anderson** and **W. B. Johnson** 687 Phase differences between quantum oscillations of the magnetoresistance and the Hall effect in $Hg_{1-x}Mn_xTe$ and $Hg_{1-x}Cd_xTe$

**Jinghong Shi** and **H. B. Huntington** 693 Electromigration of gold and silver in single crystal tin

**Xia Yueyuan, Tan Chunyu, Zheng Zongshuang, Zhang Qichu, Zhu Peiran, Liu Jiarui, Yang Hong, Hu Xierong** and **Chen Lixin** 697 Depth profiles of fluorine in $^{19}F^+$ ion-implanted $Pb_{1-x}Sn_xTe$ and CdTe

**Ikuzo Kanazawa, Shoichiro Tanigawa, Ryoichi Suzuki, Yoji Mizuhara, Mizuka Sano** and **Hiroo Inokuchi** 701 Two-dimensional electron momentum distribution in graphite revealed by means of angular correlation of positron annihilation

**M. H. Tuilier, H. Dexpert, P. Lagarde, M. Devalette** and **N. Khachani** 707 An EXAFS study of the local distortions in some $Bi_{12}[A_\alpha^{x+}B_\beta^{y+}]O_{20}$ oxides with sillenite-type structure

| | | |
|---|---|---|
| **J. E. Lowther** and **A. Andriotis** | 713 | Directionality of the metallic bonding in titanium carbide |
| **Lin-gun Liu** | 719 | Polymorphism and compression of $TeO_2$ at high pressure |
| **A. Tawansi, Morsi M. Morsi, S. El-Konsol** and **M. El-Hofy** | 723 | Electrical conductivity of gamma-irradiated Ti silicate glasses |
| **Zhou Yi-Yang** and **Zhao Min-Guang** | 729 | Study of the structure of $FeSiF_6 \cdot 6H_2O$ by EPR and optical spectra |
| **Chul Hyun Yo, Sung Ho Park, Jae Shi Choi** and **Moo Sil Pyon** | 733 | A study of nonstoichiometry and the electrical conductivity of erbium sesquioxide |
| **A. Erçelebi** and **G. Süalp** | 739 | A variational treatment of a two-dimensional polaron |
| **Vijay Baboo Gupta** and **H. C. Gupta** | 743 | Phonon dispersion relations of the A15 compound $Nb_3Sb$ |
| **A. K. Wong, R. Jones** and **J. G. Sparrow** | 749 | Thermoelastic constant or thermoelastic parameter? |
| **A. Jayaraman, G. A. Kourouklis, G. P. Espinosa, A. S. Cooper** and **L. G. Van Uitert** | 755 | A high-pressure Raman study of yttrium vanadate ($YVO_4$) and the pressure-induced transition from the zircon-type to the scheelite-type structure |
| **F. Faudot, J.-C. Rouchaud, L. Debove, M. Fedoroff** and **J. Bigot** | 761 | Elaboration of high purity iron (RRR > 4000) by horizontal zone melting—attempts for chemical characterization |
| **G. Petot-Ervas, C. Petot** and **F. Gesmundo** | 767 | Transport properties of *p*-type semiconducting oxides—influence of aliovalent impurities |
| | | *Book Review* |
| **D. Groves, K. Zwilsky, S. Barkin** and **G. Economos** | 777 | Encyclopedia of Materials Science and Engineering |


Number 9


| | | |
|---|---|---|
| **T. Ido, A. Heurtel, R. Triboulet** and **Y. Marfaing** | 781 | Deep level structure and compensation mechanism in In-doped CdTe crystals |
| **G. Collin, M. F. Gardette** and **R. Comes** | 791 | The $Fe_{1-x}Co_xS$ system ($x < 0.25$); transition and the high temperature phase |
| **G. C. de Vries, R. B. Helmholdt, E. Frikkee, K. Kopinga, W. J. M. de Jonge** and **E. F. Godefroi** | 803 | Synthesis and crystal structure of the ferromagnetic chain system $(C_6D_{11}ND_3)CuBr_3$ |
| **R. K. Harris** and **P. Jackson** | 813 | High-resolution $^1H$ and $^{13}C$ NMR of solid 2-aminobenzoic acid |
| **A. Fernández Guillermet** | 819 | On the use of shock-wave data in evaluations of thermodynamic properties |
| **V. Kumar** | 827 | Bond ionicity and susceptibility in $A^IB^{III}C_2^{VI}$ compounds |
| **Nobuo Nakamura** and **Hideaki Chihara** | 833 | Effect of vacancy diffusion on NQR parameters in $LaF_3$ |
| **D. Srinivas** and **S. Subramanian** | 837 | Proton positions and the hydrogen bonding scheme in some diamagnetic Tutton's salts—single crystal PMR study |

| | | |
|---|---|---|
| **K. Stavrev, K. Kynev, G. St. Nikolov** and **Vl. A. Dyakovitch** | 841 | Semiempirical assignment of the electron transitions in manganese(II)-doped II–VI compounds |
| **H. T. Chu** | 845 | Quantum size effect in ultra-thin bismuth films |
| **A. A. Berezin** | 853 | Localized states associated with isotopic islands |
| **Kunio Wakamura, Hidetoshi Iwatani** and **Kenichi Takarabe** | 857 | Vibrational properties of one- and two-mode behaviour in spinel type mixed systems $Zn_{1-x}Cd_xCr_2S_4$ |
| **R. Benedek** | 863 | Variational density-functional method for point defects in metals |
| **D. W. Brown** and **V. M. Kenkre** | 869 | Neutron scattering lineshapes for hydrogen trapped near impurities in metals |


## Number 10


| | | |
|---|---|---|
| **B. Jimenez, J. de Frutos** and **C. J. Alemany** | 877 | Local polarization in lead–calcium titanate ceramics |
| **C. M. Cardile, R. H. Meinhold** and **K. J. D. MacKenzie** | 881 | The properties of cadmium stannates investigated by EPR and high-resolution solid-state $^{113}Cd$ NMR spectroscopy |
| **P. Smit** and **H. L. Alberts** | 887 | Electrical resistivity of dilute $(Cr_{1-x}Al_x)_{95}Mo_5$ alloys |
| **Keu Hong Kim, Sung Han Lee, Gweon Heo** and **Jae Shi Choi** | 895 | Transport properties of magnetite–high density polyethylene composites |
| **M. Das** and **A. K. Pal** | 903 | Phase transition studies in $CoSiF_6 \cdot 6H_2O$ and $Co_{1-x}Zn_xSiF_6 \cdot 6H_2O$ by Mn(II) EPR |
| **A. T. Lino, J. R. Leite, A. C. Ferraz** and **E. K. Takahashi** | 911 | Self-consistent formulation of the variational cellular method applied to periodic structures—results for sodium and silicon |
| **Gordon G. McLeod, Kathleen Jeffreys, John M. R. MacAllister, John Mundell, Stanley Affrossman** and **Richard A. Pethrick** | 921 | Influence of ionic dopants on the conductivity of electrochemically synthesized polypyrrole |
| **R. H. Meinhold** | 927 | Studies of impure cadmium oxide semiconductors using NMR, EPR and conductivity measurements |
| **O. Yamamuro, M. Oguni, T. Matsuo** and **H. Suga** | 935 | Heat capacity and glass transition of pure and doped cubic ices |
| **Bernard Martinie, Michel Troccaz, Pierre Claudy** and **Jean-Marie Letoffe** | 943 | Etude des transformations liquide ⇆ solide ⇆ solide de l'iodure d'argent divisé |
| **Z. Gajek, J. Mulak** and **M. Faucher** | 947 | Crystal field effect in the uranium compounds—model calculations for $CsUF_6$, $Cs_2UCl_6$ and $UCl_4$ |
| **E. McRae, J. F. Mareché, M. Lelaurain, G. Furdin** and **A. Hérold** | 957 | Conductivity anisotropy in $AsF_5$-intercalated graphite |

## Number 11


| | | |
|---|---|---|
| **G. J. Dienes** and **Robb M. Thomson** | v | Preface |
| **Robb M. Thomson** | 965 | Physics of fracture |
| **P. A. Mataga, L. B. Freund** and **J. W. Hutchinson** | 985 | Crack tip plasticity in dynamic fracture |
| **S. M. Ohr** | 1007 | Dislocation–crack interaction |
| **G. J. Dienes** and **Arthur Paskin** | 1015 | Molecular dynamic simulations of crack propagation |
| **W. M. Garrison Jr** and **N. R. Moody** | 1035 | Ductile fracture |
| **Elio Passaglia** | 1075 | Crazes and fracture in polymers |
| **K. Sieradzki** and **R. C. Newman** | 1101 | Stress-corrosion cracking |
| **D. R. Clarke** and **K. T. Faber** | 1115 | Fracture of ceramics and glasses |


## Number 12


| | | |
|---|---|---|
| **J. M. Gaines** and **S. Geller** | 1159 | Crystal structure and electrical conductivity of the solid electrolyte $[(CH_3CH_2)_2N(CH_3)_2]_2Ag_{13}I_{15}$ |
| **S. Chandra, N. Singh, B. Singh, A. L. Verma, S. S. Khatri** and **T. Chakrabarty** | 1165 | Laser Raman spectral studies under d.c. bias on fast proton transport in molybdic acid ($MoO_3 \cdot 2H_2O$) |
| **Yu-Tang Shen** and **Charles W. Myles** | 1173 | Electronic structure of ternary semiconductor alloys: CPA calculations using $sp^3s^*$ bandstructures |
| **J. Boerio-Goates, Johanne I. Artman** and **Dianne Gold** | 1185 | Calorimetric studies of organic solid-state reactions. The conversion of methyl *p*-dimethylaminobenzenesulfonate to *p*-(trimethylammonium)benzenesulfonate |
| **Yuan-ping Feng** and **Harold N. Spector** | 1191 | Scattering of excitons by excitons in semiconducting quantum well structures |
| **B. Deroide, P. Belougne** et **J. V. Zanchetta** | 1197 | Etude par résonance paramagnétique électronique de sulfures de molybdène et de tungstène |
| **R. Martin** and **R. Braunstein** | 1207 | Arsenic growth on the gallium arsenide surface during oxidation |
| **Svein Stølen** and **Fredrik Grønvold** | 1213 | Thermodynamics of point defects in monochalcogenides of iron, cobalt and nickel with NiAs-type structure |
| **J. Horák, R. Novotný, P. Lošťák** and **P. Höschl** | 1227 | Vapour–solid phase equilibrium of $Bi_2(Se_{1-x}S_x)_3$ ternary crystals |
| **M. Tamine** and **Y. Calage** | 1235 | Electric field gradient on iron sites in $NaMnFeF_6$ |
| **R. J. Borg** and **C. E. Violet** | 1239 | Resolved magnetic hyperfine spectra of Au–Fe alloys as a function of temperature |
| **N. Lawrence, T. M. Haridasan** and **C. K. Subramanian** | 1245 | Mean square displacements of hydrogen interstitial and its neighbours in the intermetallic compound $Fe_{0.5}Ti_{0.5}$ |
| | | *Technical Note* |
| **J. K. Srivastava, K. Muraleedharan** and **R. Vijayaraghavan** | 1251 | X-ray, d.c. magnetisation and a.c. susceptibility studies of disordered spinel ferrite $FeNiCrO_4$ |
| | 1253 | Erratum |